

[illegible]

BBBBBBBB		AAAAAA	DDDDDDDD	SSSSSSSS	CCCCCCCC	NN	NN		
BBBBBBBB		AAAAAA	DDDDDDDD	SSSSSSSS	CCCCCCCC	NN	NN		
BB	BB	AA	AA	DD	DD	SS	CC	NN	NN
BB	BB	AA	AA	DD	DD	SS	CC	NN	NN
BB	BB	AA	AA	DD	DD	SS	CC	NNNN	NN
BB	BB	AA	AA	DD	DD	SS	CC	NNNN	NN
BBBBBBBB		AA	AA	DD	DD	SSSSSS	CC	NN	NN
BBBBBBBB		AA	AA	DD	DD	SSSSSS	CC	NN	NN
BB	BB	AAAAAAAAAA	DD	DD	DD	SS	CC	NN	NNNN
BB	BB	AAAAAAAAAA	DD	DD	DD	SS	CC	NN	NNNN
BB	BB	AA	AA	DD	DD	SS	CC	NN	NN
BB	BB	AA	AA	DD	DD	SS	CC	NN	NN
BB	BB	AA	AA	DD	DD	SS	CC	NN	NN
BBBBBBBB		AA	AA	DDDDDDDD	SSSSSSSS	CCCCCCCC	NN	NN	NN
BBBBBBBB		AA	AA	DDDDDDDD	SSSSSSSS	CCCCCCCC	NN	NN	NN

[illegible]

```
0001 0 MODULE BADSCN (  
0002 0  
0003 0     LANGUAGE (BLISS32),  
0004 0     IDENT = 'V04-000'  
0005 1 ) =  
0006 1 BEGIN  
0007 1  
0008 1 *****  
0009 1 *  
0010 1 *  COPYRIGHT (c) 1978, 1980, 1982, 1984 BY  
0011 1 *  DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.  
0012 1 *  ALL RIGHTS RESERVED.  
0013 1 *  
0014 1 *  THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED  
0015 1 *  ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE  
0016 1 *  INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER  
0017 1 *  COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY  
0018 1 *  OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY  
0019 1 *  TRANSFERRED.  
0020 1 *  
0021 1 *  THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE  
0022 1 *  AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT  
0023 1 *  CORPORATION.  
0024 1 *  
0025 1 *  DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS  
0026 1 *  SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.  
0027 1 *  
0028 1 *****  
0029 1  
0030 1  
0031 1 ++  
0032 1  
0033 1 FACILITY: F11ACP Structure Level 1  
0034 1  
0035 1 ABSTRACT:  
0036 1  
0037 1     This is a dummy module that noop's the scanning of the bad block  
0038 1     log file, which does not exist in Structure Level 1.  
0039 1  
0040 1 ENVIRONMENT:  
0041 1  
0042 1     STARLET operating system, including privileged system services  
0043 1     and internal exec routines.  
0044 1  
0045 1 --  
0046 1  
0047 1  
0048 1 AUTHOR: Andrew C. Goldstein, CREATION DATE: 22-May-1978 21:51  
0049 1  
0050 1 MODIFIED BY:  
0051 1  
0052 1     V03-001 LMP0035 L. Mark Pilant, 28-Jun-1982 12:05  
0053 1     Correct problems that result in informational messages.  
0054 1  
0055 1     A0100 ACG0001 Andrew C. Goldstein, 10-Oct-1978 20:01  
0056 1     Previous revision history moved to F11A.REV  
0057 1
```

BADSCN
V04-000

16-Sep-1984 00:48:00
14-Sep-1984 12:29:19

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[F11A.SRC]BADSCN.B32;1 Page (1) 2

```
.. 58      0058 1 !  
.. 59      0059 1 !**  
.. 60      0060 1  
.. 61      0061 1  
.. 62      0062 1 LIBRARY 'SYSS$LIBRARY:LIB.L32';  
.. 63      0063 1 REQUIRE 'SRC$:FCPDEF.B32';
```

**F

BADSCN
V04-000

J 6
16-Sep-1984 00:48:00
14-Sep-1984 12:29:19

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[F11A.SRC]BADSCN.B32;1 Page 3
(2)

```
: 65      0378 1 GLOBAL ROUTINE SCAN_BADLOG : NOVALUE =
: 66      0379 1
: 67      0380 1 ++
: 68      0381 1
: 69      0382 1 FUNCTIONAL DESCRIPTION:
: 70      0383 1
: 71      0384 1 This is a dummy routine.
: 72      0385 1
: 73      0386 1
: 74      0387 1 CALLING SEQUENCE:
: 75      0388 1
: 76      0389 1 INPUT PARAMETERS:
: 77      0390 1 NONE
: 78      0391 1
: 79      0392 1 IMPLICIT INPUTS:
: 80      0393 1 NONE
: 81      0394 1
: 82      0395 1 OUTPUT PARAMETERS:
: 83      0396 1 NONE
: 84      0397 1
: 85      0398 1 IMPLICIT OUTPUTS:
: 86      0399 1 NONE
: 87      0400 1
: 88      0401 1 ROUTINE VALUE:
: 89      0402 1 NONE
: 90      0403 1
: 91      0404 1 SIDE EFFECTS:
: 92      0405 1 NONE
: 93      0406 1
: 94      0407 1 --
: 95      0408 1
: 96      0409 2 BEGIN
: 97      0410 2
: 98      0411 2 RETURN;
: 99      0412 2
: 100     0413 1 END;
```

.TITLE BADSCN
.IDENT \V04-000\

.PSECT \$CODE\$,NOWRT,2

0000 00000
04 00002

.ENTRY SCAN_BADLOG, Save nothing
RET

: 0378
: 0413

; Routine Size: 3 bytes, Routine Base: \$CODE\$ + 0000

```
: 101     0414 1
: 102     0415 1 END
: 103     0416 0 ELUDOM
```

! end of routine SCAN_BADLOG

BADSCN
V04-000

K 6
16-Sep-1984 00:48:00
14-Sep-1984 12:29:19

VAX-11 Bliss-32 V4.0-742
DISK\$VMSMASTER:[F11A.SRC]BADSCN.B32;1 Page 4
(2)

PSECT SUMMARY

Name	Bytes	Attributes
\$CODE\$	3	NOVEC,NOWRT, RD , EXE,NOSHR, LCL, REL, CON,NOPI,ALIGN(2)

Library Statistics

File	----- Total	Symbols Loaded	----- Percent	Pages Mapped	Processing Time
_\$255\$DUA28:[SYSLIB]LIB.L32;1	18619	1	0	1000	00:01.8

COMMAND QUALIFIERS

BLISS/CHECK=(FIELD,INITIAL,OPTIMIZE)/LIS=LISS:BADSCN/OBJ=OBJ\$:BADSCN MSRC\$:BADSCN/UPDATE=(ENH\$:BADSCN)

: Size: 3 code + 0 data bytes
: Run Time: 00:04.2
: Elapsed Time: 00:14.2
: Lines/CPU Min: 5886
: Lexemes/CPU-Min: 12000
: Memory Used: 52 pages
: Compilation Complete

0164 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

CHKSUM
LIS

ALPCNTR
LIS

CHKPRO
LIS

FCPDEF
B32

DEACCS
LIS

BADSCN
LIS

CLENUP
LIS

CPYNAM
LIS

CHKHDR
LIS

COMMON
LIS

CREHDR
LIS

CREWIN
LIS

ALDOB
LIS

ACCESS
LIS

CHKDMO
LIS

DELETE
LIS

CREATE
LIS

CREFLB
LIS